



WORKSAFE™ FACILITY SAFETY PRODUCTS

SAFETY STARTS HERE

WorkSafe™


Facility Safety Products

Complete facility protection for
Personnel, Equipment, and Structures



Column and Pallet Rack Post Protector

Rugged protection for pallet rack posts and building columns. Constructed of 1/4" steel plate with four (4) anchoring feet and complete with anchoring hardware.



* denotes two-hole mounting unit.

| Column and Pallet Rack Post Protector | | | | |
|---------------------------------------|--------|---------|---------|---------|
| Model | Height | Dim."A" | Dim."B" | Weight |
| PP-1234* | 12" | 3" | 4" | 11 lbs. |
| PP-1236 | 12" | 3" | 6" | 13 lbs. |
| PP-1249 | 12" | 4" | 9" | 18 lbs. |
| PP-12511 | 12" | 5" | 11" | 21 lbs. |
| PP-12613 | 12" | 6" | 13" | 25 lbs. |
| PP-1834* | 18" | 3" | 4" | 16 lbs. |
| PP-1836 | 18" | 3" | 6" | 18 lbs. |
| PP-1849 | 18" | 4" | 9" | 26 lbs. |
| PP-18511 | 18" | 5" | 11" | 31 lbs. |
| PP-18613 | 18" | 6" | 13" | 36 lbs. |
| PP-2434* | 24" | 3" | 4" | 20 lbs. |
| PP-2436 | 24" | 3" | 6" | 24 lbs. |
| PP-2449 | 24" | 4" | 9" | 33 lbs. |
| PP-24511 | 24" | 5" | 11" | 41 lbs. |
| PP-24613 | 24" | 6" | 13" | 48 lbs. |



Rack End Protectors

Heavy duty formed 3/8" steel plate with integral round 1/4" post protector. Anchoring hardware is included

| Rack End Protector | | | | |
|--------------------|--------|-----------|-----|----------|
| Model | Length | Max.Width | Ht. | Wt |
| REP-03 | 36" | 9" | 6" | 63 lbs. |
| REP-04 | 48" | 9" | 6" | 71 lbs. |
| REP-05 | 60" | 9" | 6" | 88 lbs. |
| REP-06 | 72" | 9" | 6" | 106 lbs. |
| REP-07 | 84" | 9" | 6" | 127 lbs. |
| REP-08 | 96" | 9" | 6" | 147 lbs. |



Overhead Door Track Guards

Easy to install units to protect overhead door operation. Rugged 1/4" steel plate construction.

Comes complete with floor mounting and wall-mounting hardware.

| Overhead Door Track Guards | | | | |
|----------------------------|-------|--------|--------|---------|
| Model | Ht. | Width | Depth | Wt./pr. |
| DTG-02 | 2'-0" | 5-3/4" | 6-1/4" | 40 lbs. |
| DTG-04 | 4'-0" | 5-3/4" | 6-1/4" | 80 lbs. |


WorkSafeTM

Facility Safety Products

Barrier Rail

Maximum protection for traffic aisles, personnel areas, machinery, and structures.


Tubular 6" sq. posts with 10" square x 1/2" thick base plates. Rail is MC10 x 8.4# structural channel. All mounting and anchoring hardware is included.




| POSTS | | | |
|-------|-----|---------------------------|---------|
| Model | Ht. | Use with | Wt. |
| P-15 | 15" | Single rail | 38 lbs. |
| P-30 | 30" | Single or double rail | 61 lbs. |
| P-44 | 44" | Single-double-triple rail | 84 lbs. |

| BARRIER RAIL | | | | | |
|--------------|--------|---------|---------|---------|---------|
| Model | Length | Dim "A" | Dim "B" | Dim "C" | Wt. |
| BR-03 | 3'-0" | 32" | 42" | 52" | 26 lbs. |
| BR-04 | 4'-0" | 44" | 54" | 64" | 34 lbs. |
| BR-05 | 5'-0" | 56" | 66" | 76" | 43 lbs. |
| BR-06 | 6'-0" | 68" | 78" | 88" | 51 lbs. |
| BR-07 | 7'-0" | 80" | 90" | 100" | 59 lbs. |
| BR-08 | 8'-0" | 92" | 102" | 112" | 68 lbs. |
| BR-09 | 9'-0" | 104" | 114" | 124" | 76 lbs. |
| BR-10 | 10'-0" | 116" | 126" | 136" | 84 lbs. |

| OPTIONS | | |
|---------|-------------------------------------|---------|
| Model | Description | Wt. |
| LO-RK | Lift-out rail kit (1 req. per rail) | 10 lbs. |
| FE-13 | Flared end for 15" ht. post-13" ht. | 13 lbs. |
| FE-28 | Flared end for 30" ht post-28" ht. | 28 lbs. |
| FE-42 | Flared end for 44" ht. post-42" ht. | 42 lbs. |



| RAIL HEIGHTS | |
|--------------|-------------------------------|
| Standard | Ht. of Top of Rail from Floor |
| 1st Rail | 1'- 1-3/8" |
| 2nd Rail | 2'-23-7/8" |
| 3rd Rail | 3'- 6-3/8" |




Bollards

Easy floor mount units-no concrete work needed. Instant protection for aisle ways, doors, and equipment. Standard 6" square x 1/4" steel units available in three (3) heights. Anchoring hardware is included.

| Bollards | | |
|----------|-----|---------|
| Model | Ht. | Wt. |
| B-15 | 15" | 38 lbs. |
| B-30 | 30" | 61 lbs. |
| B-44 | 44" | 84 lbs. |

All WorkSafe
safety products
feature a durable,
high visibility
yellow powder
coat finish

WorkSafe™ Facility Safety Products



Sprinkler Guards

Sprinkler head guards protect critical overhead sprinkler systems. Strong 5/8" dia. hot-rolled bar stock with welded 1/4" mounting plates.


| Sprinkler Guard | |
|---------------------------------------------|--------------|
| Model | Width |
| SG-04 | 2'-6" to 4" |
| SPI | 4' and Wider |
| Please specify width required when ordering | |



Guide Rail

Protect traffic aisle ways from forklift damage with rugged 3/8" guide rail angle units with pre-drilled mounting holes. Anchoring hardware is included

4"x 3"x 3/8" Angle
w/ 5/8" Dia. Holes



| Guide Rail | |
|------------|--------|
| Model | Length |
| GR-03 | 3'-0" |
| GR-04 | 4'-0" |
| GR-05 | 5'-0" |
| GR-06 | 6'-0" |
| GR-08 | 8'-0" |



A SUBSIDIARY OF PENCO PRODUCTS, INC.

Schmidt Structural Products, Inc.
99 Brower Ave., P.O. Box 378
Oaks, PA 19456-0378



WorkSafe™

Contact your SSP dealer today

TEL: 800-523-6719

FAX 215-721-5890

www.schmidtstructural.com